


RSP CONSUMABLES

PrintLine



MYLAR GRID



CYLINDER JACKET



PROCESSING RULES

RSP PROTECTIVE IMPRESSION CYLINDER JACKETS AND STRIPS

Self-adhesive; for the protection of the impression cylinder during the cutting and perforating process.

Quantity Discounts Consumable Supplies

Combination of any accessory items

5 to 10 items	less 2%
11 to 20 items	less 4%
21 to 30 items	less 6%
31+ items	less 8%

Part #	Printing Press	Dimensions
ICJGTO46	Heidelberg GTO 46	452 x 312 mm
ICJGTO52	Heidelberg GTO 52	513 x 343 mm
ICJGTO52P	Heidelberg GTO 52	513 x 343 mm
ICJSM52	Heidelberg SM 52	526 x 363 mm
ICJSM52P	Heidelberg SM 52	526 x 363 mm
ICJMO1	Heidelberg MO	650 x 474 mm
ICJMO1P	Heidelberg MO	650 x 474 mm
ICJSO741	Heidelberg SO74/SORM/SM72	726 x 513 mm
ICJSO741P	Heidelberg SO74/SORM/SM72	726 x 513 mm
ICJSORD	Heidelberg SORD	623 x 448 mm
ICJSM742	Heidelberg SM74/PM74	373 x 513 mm
ICJSM741	Heidelberg SM74/PM74	746 x 513 mm
ICJSM741P	Heidelberg SM74/PM74	746 x 513 mm
ICJSM/SO/CD1022	Heidelberg SM/SORS/CD 102	513 x 703 mm
ICJSM/ SO/CD1022P	Heidelberg SM/SORS/CD 102	513 x 703 mm
ICJSM102 Full	Heidelberg SM/SORS/CD 102	703 x 1026 mm
ICJSM102P Full	Heidelberg SM/SORS/CD 102	703 x 1026 mm
ICJCD74 (74L)	Heidelberg CD74 / CD74L / XL75	373 x 610 mm
ICJCD74/XL75 Full	Heidelberg CD74 / CD74L / XL75	746 x 610 mm
ICJCD74/XL75P Full	Heidelberg CD74 / CD74L / XL75	746 x 610 mm
ICJXL105	Heidelberg XL105	743 x 528 mm
ICJXL105 Full	Heidelberg XL105	1056 x 743 mm
ICJKL20	Komori Lithrone 20	526 x 362 mm
ICJKL26	Komori Lithrone 26	470 x 665 mm
ICJKS26	Komori Sprint 26	470 x 665 mm
ICJKL28	Komori Lithrone 28	726 x 513 mm
ICJKS28	Komori Sprint 28	726 x 513 mm
ICJKL402	Komori Lithrone 40	513 x 703 mm
ICJR700	Roland 700	732 x 522 mm
ICJ Strips	20" Press	513 x 65 mm
ICJ Strips	28" Press	706 x 65 mm
ICJ Strips	40" Press	1050 x 65 mm

Part numbers which end in P are for Perfecting Machines. Part numbers which end in 2 are half size jackets. This price is for purchasing in quantities of 10. If less than 10 purchased a 15% handling charge will be added.

RSP CONSUMABLES

RSP MYLAR GRIDS

Adjusted to the individual cylinder diameter for pre-makeready of the RSP form outside the press.

Part#	Printing Press
MGGTO46	Heidelberg GTO 46
MGGTO52	Heidelberg GTO 52
MGSM52	Heidelberg SM 52
MGSM52L	Heidelberg SM 52 Coater
MGMO	Heidelberg MO/SORK
MGSO74	Heidelberg SO 74/SORM/SM72
MGSM74	Heidelberg SM74/PM74
MGSM74L	Heidelberg SM74/PM74 Coater
MGCD74	Heidelberg CD 74 / XL 75
MGCD74L	Heidelberg CD 74 / XL 75 Coater
MGSORD	Heidelberg SORD
MGSM/ SO102	Heidelberg SM/SORS 102
MGCD102	Heidelberg CD 102

Part#	Printing Press
MGXL105U	Heidelberg XL105
MGXL105L	Heidelberg XL105 Coater
MGKL20	Komori Lithrone 20
MGKL26	Komori Lithrone 26
MGKS26	Komori Sprint 26
MGKL28	Komori Lithrone 28
MGKS28	Komori Sprint 28
MGKL40	Komori Lithrone 40
MGKL40U	Komori Lithrone 40
MGR700	Roland 700

RSP OFFSET CREASING STRIPS STANDARD "ORS"

For scoring in letterpress quality. Various dimensions for different paper/board qualities.

Part#	Dimension	Unit
ORS0208	0.2 x 0.8 mm	30 pcs
ORS0210	0.2 x 1.0 mm	30 pcs
ORS0307	0.3 x 0.7 mm	30 pcs
ORS0308	0.3 x 0.8 mm	30 pcs
ORS0310	0.3 x 1.0 mm	30 pcs
ORS0311	0.3 x 1.1 mm	30 pcs
ORS0312	0.3 x 1.2 mm	30 pcs
ORS0313	0.3 x 1.3 mm	30 pcs

RSP OFFSET CREASING STRIPS OFF-CENTER "OCC"

Part#	Dimension	Unit
OCC0310	0.3 x 1.0 mm	30 pcs
OCC0312	0.3 x 1.2 mm	30 pcs
OCC0313	0.3 x 1.3 mm	30 pcs

RSP PROCESSING RULES

For scoring, cutting and perforating; height-adjusted and designed for the RSP In-line Finishing System.

Part#	Dimension	Unit
PRPerf08	Perf 8 tpi	20 feet
PRPerf12	Perf 12 tpi	20 feet
PRPerf16	Perf 16 tpi	20 feet
PRPerf35	Perf 35 tpi	20 feet

Part#	Dimension	Unit
PRPerf50	Perf 50 tpi	20 feet
PRCut	Cut	20 feet
PRCreaseR1	Crease R1	20 feet
PRCreaseR2	Crease R2	20 feet

RSP SUPPORTING FOAM

Applicable in the trim area in order to ensure the flatness of the printed sheet.

Part#	Description	Dimension	Unit
SF	RSP Supporting Foam OSF	1/4" x 27.5'	50 pcs

RSP ADHESIVE TAPES

For securing the etched dies on the RSP mylar grid.

Part#	Description	Unit
MK5	Adhesive Tape Flexible Cutting Dies	20 - 1/2" x 32.8'
SK	Protective Adhesive Tape	1/2" x 55'

RSP TOOLS

Part#	Description	Unit
PRC	Side Cutter	1 piece
	Socket Wrench	Hexagon Socket Torque Wrench
		1 piece
	ICJ Removal Aid	Removal Aid for Protective Jackets
		1 piece

CITO STEEL SHIM TAPE

Part #	Thickness	Dimension
ShimTape 0.03	.03mm (.001")	10m (32.8') x 6.5 mm (1/4")
ShimTape 0.04	.04mm (.0015")	10m (32.8') x 6.5 mm (1/4")
ShimTape 0.05	.05mm (.002")	10m (32.8') x 6.5 mm (1/4")
ShimTape 0.10	.10mm (.004")	10m (32.8') x 6.5 mm (1/4")

SPEED PERF

High quality perforating rule for offset presses.

Part #	Description	Unit
T-301	Center Score	20 feet
T-501	Side Score	20 feet
T-505	Side Perf - 16 TPI	20 feet
T-507	Side Perf - 12 TPI	20 feet

PRESS GAUGES

Part #	Description
DigiNip	Digital Roller Nip and Setting Gauge
PosiTector FTS-1	Digital On Press Blanket, Packing and Plate Thickness Gauge for non-metal Surfaces
PosiTector FNTS-1	Digital On Press Blanket, Packing and Plate Thickness Gauge, for any Surface, including Metal